

# 72" H x 36" W x 24" D

## 1 DOOR DESIGN



FILE NUMBER: E507642

NEMA 4/12 - ENCLOSURE  
ELECTRICAL CABINET  
WALL MOUNT

ENCLOSURE MATERIAL

- ☐ POWDER COATED STEEL (CS)  
☐ POWDER COATED ALUMINUM (AL)

POWDERCOAT COLOR

- ☐ STANDARD WHITE  
☐ LIGHT GRAY ANSI 70  
☐ DARK GRAY ANSI 61  
☐ STANDARD BLACK  
☐ CUSTOM \_\_\_\_\_

WALL BRACKET (OPTIONS)

- ☐ WALL TABS (STANDARD)  
☐ HEAVY DUTY BRACKETS  
☐ POLE MOUNT BRACKETS


ALL DIMENSIONS ARE ESTIMATED IN INCHES  
AND MAY VARY DUE TO SELECTED OPTIONS.

COMPANY NAME \_\_\_\_\_

APPROVED (PRINTED NAME) \_\_\_\_\_

SIGNATURE \_\_\_\_\_

DATE \_\_\_\_\_



FRONT VIEW

LIFTING EYE

- ☐ WELDED PADS (STANDARD)  
☐ REMOVABLE PADEYES

DOOR HINGE

- ☐ PIANO HINGE  
☐ LIFT OFF HINGE

DOOR LATCH OPTIONS

- ☐ 3 PT. LATCH (STANDARD)  
☐ CLAMP SCREW WITH HASP

DOOR HANDLE

- ☐ PADLOCK PROVISION (STANDARD)  
☐ KEYLOCK (OPTION)

\*WINDOW OPTIONS

- ☐ TEMPERED GLASS  
☐ NOT REQUIRED

\*NOTE: UL & NON-UL OPTIONS  
AVAILABLE

# 72" H x 36" W x 24" D 1 DOOR DESIGN

- THERMAL SPECIFICATIONS**
- ☐ OUTSIDE (AMBIENT) \_\_\_\_\_ °F
- ☐ INTERIOR TEMP. \_\_\_\_\_ °F
- ☐ HEAT LOAD (WATTS) \_\_\_\_\_
- ☐ SUN / SHADE \_\_\_\_\_


- FAN SERIES**
- ☐ 60FL SERIES, 18" H (40-92 CFM)
- ☐ 180FL SERIES, 24"H (177-179 CFM)
- ☐ 225FL SERIES, 24"H (350 CFM)

- FAN MATERIALS**
- ☐ BAKED POWDER STEEL
- ☐ STAINLESS STEEL

- FAN SYSTEM**
- ☐ PUSH-PULL SYSTEM (STANDARD)
- ☐ PUSH SYSTEM
- ☐ PULL SYSTEM
- ☐ NOT REQUIRED

- FAN VOLTAGE/ HZ**
- ☐ 115/60 (STANDARD)
- ☐ 230/60
- ☐ 12 VDC
- ☐ 24 VDC
- ☐ 48 VDC
- ☐ SPECIFY \_\_\_\_\_


- ACCESSORIES AND OPTIONS**
- ☐ REPLACEMENT FILTER



- SUN REFLECTIVE SOLUTION**
- ☐ TOP SUNSHIELD COVER
- ENCLOSURE INSULATION**
- ☐ 1/2 RADIANT BARRIER (STANDARD)
- ☐ 3/4 RADIANT BARRIER
- ☐ 1 RADIANT BARRIER
- ☐ NOT REQUIRED
- FAN SERVICE DOOR**
- ☐ FAN SERVICE DOOR
- ☐ NOT REQUIRED
- ENCLOSURE INSULATION**
- ☐ 1/2 RADIANT BARRIER (STANDARD)
- ☐ 3/4 RADIANT BARRIER
- ☐ 1 RADIANT BARRIER
- ☐ NOT REQUIRED

LEFT SIDE

# 72" H x 36" W x 24" D 1 DOOR DESIGN



## DOOR ACCESSORIES

- ☐ DOOR SWITCH
- ☐ PRINT POCKET

## INTERIOR PLATE

- ☐ COATED STEEL (IP7236-CS)
- ☐ COATED ALUMINUM (IP7236-AL)
- ☐ 304 STAINLESS STEEL (IP7236-S4)
- ☐ 316 STAINLESS STEEL (IP7236-S6)

# 72" H x 36" W x 24" D 1 DOOR DESIGN

- DOOR STOPPER
- ☐ INSTALL DOOR STOPPER
- ☐ NOT REQUIRED

BASE ACCESS COVER PLATE  
(OPTION)


- ☐ 8x8 PLATE (6x6 CUT-OUT)
- ☐ 8x16 PLATE (6x14 CUT-OUT)
- ☐ 12x12 PLATE (10x10 CUT-OUT)
- ☐ 16x16 PLATE (14x14 CUT-OUT)

CONDUIT/CABLE SEAL OPTIONS


- ☐ ROXTEC SEAL SOLUTION
- ☐ PIPE FITTING HUB
- ☐ CABLE GLAND

SIDE ACCESS COVER PLATE MAT'L

- ☐ POWDER COATED STEEL
- ☐ POWDER COATED ALUMINUM
- ☐ STAINLESS STEEL, 304



TOP VIEW




- 1/4-20 X 3/4  
INTERIOR  
GROUND STUDS
- ☐ BONDING STRAPS

QUAD OUTLET BOX  
ON 8x8 PLATE (OPTION)


- ☐ ADD QUAD BOX
- ☐ 15A 115V RECEPTACLE
- ☐ 20A 115V RECEPTACLE
- ☐ NOT REQUIRED

TOP CROSS SECTION VIEW B-B

72" H x 36" W x 24" D  
1 DOOR DESIGN



LEFT SIDE



FRONT VIEW