

NEMA 6P HEAVY DUTY SERIES

48" H x 36" W x 12" D

1 DOOR DESIGN

**NEMA 6P - ENCLOSURE
WALL MOUNT
STAINLESS STEEL**



FILE NUMBER: E496085

ENCLOSURE MATERIAL

- 304 STAINLESS STEEL (S4)
- 316 STAINLESS STEEL (S6)

ENCLOSURE POWDER COAT

- WHITE
- ANSI 61 GRAY
- ANSI 70 LIGHT GRAY
- BLACK
- NOT REQUIRED

CORROSION PACKAGE

- EXTERIOR PASSIVATION
- FULL PASSIVATION

6P COVER OPTION

- N6P FLOATING HINGES
- LIFT OFF PULL HANDLES
- WINDOW KIT (NON-UL)
- 135 DEGREE DOOR STOPPER

**STANDARD STAINLESS PASSIVATION CLEANING
SUBMERSION PERFORMANCE TEST: 24 HR. @15 FT.
ISO17025 INSTRUMENTATION AND EQUIPMENT**

COMPANY NAME

APPROVED (PRINTED NAME)

SIGNATURE

DATE

LIFTING EYES


- WELDED PADEYES
- NOT REQUIRED

CONDUIT/CABLE SOLUTION


- FNPT HUB
- CABLE GLAND
- ROXTEC SEALS

COVER GASKET OPTION


- UL RECOGNIZED SILICONE
- EPDM (NON-UL)
- VITON (NON-UL)
- BUNA-N (NON-UL)



TOP VIEW



FRONT VIEW



RIGHT SIDE VIEW


N6P483612-W1DHDXX (X1)

NEMA 6P HEAVY DUTY SERIES


48" H x 36" W x 12" D

1 DOOR DESIGN


LIFTING PAD-EYE WITH Ø1" HOLE WELD TO TOP



LEFT SIDE VIEW



SECTION A-A



FRONT VIEW

COVER REMOVED FOR CLARITY

INTERIOR PLATE

- COATED STEEL (I6P4836-CS)
- COATED ALUMINUM (I6P4836-AL)
- 304 STAINLESS STEEL (I6P4836-S4)
- 316 STAINLESS STEEL (I6P4836-S6)

WATER SUBMERSION DEPTH

- 15FT. SUBMERSION (STANDARD)
- 30FT. SUBMERSION
- 60FT. SUBMERSION
- 100FT. SUBMERSION


TEST DURATION

- 24HR. (STANDARD)
- 36HR.
- 72HR.


NEMA 6P HEAVY DUTY SERIES

48" H x 36" W x 12" D

1 DOOR DESIGN



BACK VIEW



BOTTOM VIEW